




VETERINARY ORTHOPEDIC IMPLANT CATALOG



2024

2.0 mm	2.4 mm	2.7 mm
Height:1.0 mm	Height:1.2 mm	Height:1.5 mm
Width:4.5 mm	Width:5,0 mm	Width:5.5 mm



Mini straight locking plate						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
4 hole	MV20 27 04	24,5	MV24 27 04	26,9	MV27 27 04	29,5
5 hole	MV20 27 05	30,5	MV24 27 05	33,5	MV27 27 05	36,7
6 hole	MV20 27 06	36,5	MV24 27 06	40,1	MV27 27 06	43,9
7 hole	MV20 27 07	42,5	MV24 27 07	46,7	MV27 27 07	51,1
8 hole	MV20 27 08	46,5	MV24 27 08	53,3	MV27 27 08	58,3
9 hole	MV20 27 09	52,5	MV24 27 09	59,9	MV27 27 09	65,5
10 hole	MV20 27 10	58,5	MV24 27 10	66,5	MV27 27 10	72,7
12 hole	MV20 27 12	70,5	MV24 27 12	79,7	MV27 27 12	87,1

Mini recons locking plate						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
4 hole	MV20 10 04	24,5	MV24 10 04	26,9	MV27 10 04	29,5
5 hole	MV20 10 05	30,5	MV24 10 05	33,5	MV27 10 05	36,7
6 hole	MV20 10 06	36,5	MV24 10 06	40,1	MV27 10 06	43,9
7 hole	MV20 10 07	42,5	MV24 10 07	46,7	MV27 10 07	51,1
8 hole	MV20 10 08	46,5	MV24 10 08	53,3	MV27 10 08	58,3
9 hole	MV20 10 09	52,5	MV24 10 09	59,9	MV27 10 09	65,5
10 hole	MV20 10 10	58,5	MV24 10 10	66,5	MV27 10 10	72,7
11 hole	MV20 10 11	64,5	MV24 10 11	73,1	MV27 10 11	79,9
12 hole	MV20 10 12	70,5	MV24 10 12	79,7	MV27 10 12	87,1



Mini recons long mini plate						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
4 hole	MV20 11 04	27	MV24 11 04	29,7	MV27 11 04	32,6
5 hole	MV20 11 05	33	MV24 11 05	36,3	MV27 11 05	39,8
6 hole	MV20 11 06	39	MV24 11 06	42,9	MV27 11 06	47
7 hole	MV20 11 07	45	MV24 11 07	49,5	MV27 11 07	54,2
8 hole	MV20 11 08	51	MV24 11 08	56,1	MV27 11 08	61,4
9 hole	MV20 11 09	57	MV24 11 09	62,7	MV27 11 09	68,6
10 hole	MV20 11 10	63	MV24 11 10	69,3	MV27 11 10	75,8
11 hole	MV20 11 11	69	MV24 11 11	75,9	MV27 11 11	83
12 hole	MV20 11 12	75	MV24 11 12	82,5	MV27 11 12	90,2

Mini recons locking T plate (Head 2h)						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
3 hole	MV20 21 03	21	MV24 21 03	23,1	MV27 21 03	25,4
4 hole	MV20 21 04	27	MV24 21 04	29,7	MV27 21 04	32,6
5 hole	MV20 21 05	33	MV24 21 05	36,3	MV27 21 05	39,8
6 hole	MV20 21 06	39	MV24 21 06	42,9	MV27 21 06	47
7 hole	MV20 21 07	45	MV24 21 07	49,5	MV27 21 07	54,2
8 hole	MV20 21 08	51	MV24 21 08	56,1	MV27 21 08	61,4



Mini recons locking T plate (Head 3h)						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
3 hole	MV20 22 03	23	MV24 22 03	25,3	MV27 22 03	27,8
4 hole	MV20 22 04	29	MV24 22 04	31,9	MV27 22 04	35
5 hole	MV20 22 05	35	MV24 22 05	38,5	MV27 22 05	42,2
6 hole	MV20 22 06	41	MV24 22 06	45,1	MV27 22 06	49,4
7 hole	MV20 22 08	47	MV24 22 08	51,7	MV27 22 08	56,6
8 hole	MV20 22 08	53	MV24 22 04	58,3	MV27 22 04	63,8

Mini recons locking T plate (Head 5h)						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
3 hole	MV20 24 03	23	MV24 24 03	25,3	MV27 24 03	27,8
4 hole	MV20 24 04	29	MV24 24 04	31,9	MV27 24 04	35
5 hole	MV20 24 05	35	MV24 24 05	38,5	MV27 24 05	42,2
6 hole	MV20 24 06	41	MV24 24 06	45,1	MV27 24 06	49,4
7 hole	MV20 24 07	47	MV24 24 07	51,7	MV27 24 07	56,6
8 hole	MV20 24 08	53	MV24 24 08	58,3	MV27 24 08	63,8



Mini recons locking L Plate 90° (Head 2h)						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
2 hole Left	MV20 15 02	15	MV24 15 02	16,5	MV27 15 02	18,1
3 hole Left	MV20 15 03	21	MV24 15 03	23,1	MV27 15 03	25,3
4 hole Left	MV20 15 04	27	MV24 15 04	29,7	MV27 15 04	32,5
5 hole Left	MV20 15 05	33	MV24 15 05	36,3	MV27 15 05	39,7
6 hole Left	MV20 15 05	39	MV24 15 06	42,9	MV27 15 06	46,9
2 hole right	MV20 16 02	15	MV24 16 02	16,5	MV27 16 02	18,1
3 hole Right	MV20 16 03	21	MV24 16 03	23,1	MV27 16 03	25,3
4 hole Right	MV20 16 04	27	MV24 16 04	29,7	MV27 16 04	32,5
5 hole Right	MV20 16 05	33	MV24 16 05	36,3	MV27 16 05	39,7
6 hole Right	MV20 16 06	39	MV24 16 06	42,9	MV27 16 06	46,9

Mini recons locking Long L Plate (Head 2h)						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
2 hole Left	MV20 17 02	17	MV24 17 02	18,7	MV27 17 02	20,5
3 hole Left	MV20 17 03	23	MV24 17 03	25,3	MV27 17 03	27,7
4 hole Left	MV20 17 04	29	MV24 17 04	31,9	MV27 17 04	34,9
5 hole Left	MV20 17 05	35	MV24 17 05	38,5	MV27 17 05	42,1
6 hole Left	MV20 17 06	41	MV24 17 06	45,1	MV27 17 06	49,3
2 hole right	MV20 18 02	17	MV24 18 02	18,7	MV27 18 02	20,5
3 hole Right	MV20 18 03	23	MV24 18 03	25,3	MV27 18 03	27,7
4 hole Right	MV20 18 04	29	MV24 18 04	31,9	MV27 18 04	34,9
5 hole Right	MV20 18 05	35	MV24 18 05	38,5	MV27 18 05	42,1
6 hole Right	MV20 18 06	41	MV24 18 06	45,1	MV27 18 06	49,3



Mini recons locking Long L Plate 110° (Head 2h)						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
2 hole Left	MV20 40 02	22,5	MV24 40 02	24,7	MV27 40 02	27,1
3 hole Left	MV20 40 03	28,5	MV24 40 03	31,3	MV27 40 03	34,3
4 hole Left	MV20 40 04	34,5	MV24 40 04	37,9	MV27 40 04	41,5
5 hole Left	MV20 40 05	40,5	MV24 40 05	44,5	MV27 40 05	48,7
6 hole Left	MV20 40 06	46,5	MV24 40 06	51,1	MV27 40 06	55,9
2 hole right	MV20 41 02	22,5	MV24 41 02	24,7	MV27 41 02	27,1
3 hole Right	MV20 41 03	28,5	MV24 41 03	31,3	MV27 41 03	34,3
4 hole Right	MV20 41 04	34,5	MV24 41 04	37,9	MV27 41 04	41,5
5 hole Right	MV20 41 05	40,5	MV24 41 05	44,5	MV27 41 05	48,7
6 hole Right	MV20 41 06	46,5	MV24 41 06	51,1	MV27 41 06	55,9

Mini recons locking L Plate 110° (Head 2h)						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
2 hole Left	MV20 42 02	20,5	MV24 42 02	22,5	MV27 42 02	24,8
3 hole Left	MV20 42 03	26,5	MV24 42 03	29,1	MV27 42 03	32
4 hole Left	MV20 42 04	32,5	MV24 42 04	35,7	MV27 42 04	39,2
5 hole Left	MV20 42 05	38,5	MV24 42 05	42,3	MV27 42 05	46,4
6 hole Left	MV20 42 06	44,5	MV24 42 06	48,9	MV27 42 06	53,6
2 hole right	MV20 43 02	20,5	MV24 43 02	22,5	MV27 43 02	24,8
3 hole Right	MV20 43 03	26,5	MV24 43 03	29,1	MV27 43 03	32
4 hole Right	MV20 43 04	32,5	MV24 43 04	35,7	MV27 43 04	39,2
5 hole Right	MV20 43 05	38,5	MV24 43 05	42,3	MV27 43 05	46,4
6 hole Right	MV20 43 06	44,5	MV24 43 06	48,9	MV27 43 06	53,6





Mini square locking plate						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
4 hole	MV20 28 04	11	MV24 28 04	12,1	MV27 28 04	13,3
6 hole	MV20 28 05	17	MV24 28 05	18,7	MV27 28 05	20,5
8 hole	MV20 28 06	23	MV24 28 06	25,3	MV27 28 06	27,7
10 hole	MV20 28 07	29	MV24 28 07	31,9	MV27 28 07	34,9

Mini square curved locking plate						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
4 hole	MV20 29 04	13	MV24 29 04	14,3	MV27 29 04	15,7
6 hole	MV20 29 06	19	MV24 29 06	20,9	MV27 29 06	22,9
8 hole	MV20 29 08	25	MV24 29 08	27,5	MV27 29 08	30,1
10 hole	MV20 29 10	31	MV24 29 10	34,1	MV27 29 10	37,3



Mini square angle locking plate						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
4 hole	MV20 30 04	15	MV24 30 04	16,5	MV27 30 04	18,1
6 hole	MV20 30 06	31	MV24 30 06	23,1	MV27 30 06	25,3
8 hole	MV20 30 08	46	MV24 30 08	29,7	MV27 30 08	32,5

Mini recons locking Y Plate (Head 2h)						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
3 hole	MV20 31 03	17	MV24 31 03	18,7	MV27 31 03	20,5
4 hole	MV20 31 04	23	MV24 31 04	25,3	MV27 31 04	27,7
5 hole	MV20 31 05	29	MV24 31 05	31,9	MV27 31 05	34,9
6 hole	MV20 31 06	35	MV24 31 06	38,5	MV27 31 06	42,1
7 hole	MV20 31 07	41	MV24 31 07	45,1	MV27 31 07	49,3
8 hole	MV20 31 08	47	MV24 31 08	51,7	MV27 31 08	56,5



Mini recons locking Y Plate (Head 4h)						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
3 hole	MV20 32 03	26,5	MV24 32 03	29,1	MV27 32 03	32
4 hole	MV20 32 04	32,5	MV24 32 04	35,7	MV27 32 04	37,2
5 hole	MV20 32 05	38,5	MV24 32 05	42,3	MV27 32 05	42,4
6 hole	MV20 32 06	44,5	MV24 32 06	48,9	MV27 32 06	47,6

Mini recons locking V plate						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
4 hole	MV20 33 04	22,5	MV24 33 04	25	MV27 33 04	27,5



Mini recons locking X plate						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
6 hole	MV20 34 06	24	MV24 34 06	26,4	MV27 34 06	29

Mini locking star plate (5h)						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
5 hole	MV20 35 05	14	MV24 35 05	15,4	MV27 35 05	17



Mini locking star plate (12h)						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
12 hole	MV20 36 12	Ø33	MV24 31 12	36	MV27 31 12	40



Mini recons locking curved plate						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
4 hole	MV20 12 04	25	MV24 12 04	27,5	MV27 12 04	30,25
5 hole	MV20 12 05	30,5	MV24 12 05	34,1	MV27 12 05	37,4
6 hole	MV20 12 06	36	MV24 12 06	40,7	MV27 12 06	44,6
7 hole	MV20 12 07	41,5	MV24 12 07	47,3	MV27 12 07	51,8
8 hole	MV20 12 08	47	MV24 12 08	53,9	MV27 12 08	59
9 hole	MV20 12 09	52,5	MV24 12 09	60,5	MV27 12 09	66,2
10 hole	MV20 12 10	57,5	MV24 12 10	67,1	MV27 12 10	73,4


VETERINARY ORTHOPEDIC İMPLANT

Mini recons locking H plate						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
7 hole	MV20 37 05	30,5	MV24 37 05	33,5	MV27 37 05	36,8
11 hole	MV20 37 06	36,5	MV24 37 06	40,1	MV27 37 06	44
15 hole	MV20 37 07	42,5	MV24 37 07	46,7	MV27 37 07	51,2







Mini recons locking H curved plate						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
7 hole	MV20 38 04	30,5	MV24 38 04	33,5	MV27 38 04	36,8
11 hole	MV20 38 05	36,5	MV24 38 05	40,1	MV27 38 05	44
15 hole	MV20 38 06	42,5	MV24 38 06	46,7	MV27 38 06	51,2

Mini recons locking S plate						
size	2.0 mm		2.4 mm		2.7 mm	
	Code	L(mm)	Code	L(mm)	Code	L(mm)
4 hole	MV20 39 04	26	MV24 39 04	28,5	MV27 39 04	31,5
6 hole	MV20 39 05	32	MV24 39 05	35,1	MV27 39 05	38,7
8 hole	MV20 39 06	38	MV24 39 06	41,7	MV27 39 06	45,9
10 hole	MV20 39 07	44	MV24 39 07	48,3	MV27 39 07	53,1



Torx system

LOCKING SCREW			
Length	2.0 mm	2.4 mm	2.7 mm
	Code	Code	Code
6	MV20 006	MV24 006	MV27 006
8	MV20 007	MV24 007	MV27 007
10	MV20 008	MV24 008	MV27 008
12	MV20 009	MV24 009	MV27 009
14	MV20 010	MV24 010	MV27 010
16	MV20 012	MV24 012	MV27 012
18	MV20 014	MV24 014	MV27 014
20	MV20 016	MV24 016	MV27 016
22	MV20 018	MV24 018	MV27 018





MEDIYA TIBBİ CİHAZLAR SANAYİ TİCARET LİMİTED ŞİRKETİ

İLKADIM SANAYİ SİTESİ İSTİKLAL MAH.UZUNLAR CAD NO:40/1

TEKKEKÖY/SAMSUN

TÜRKİYE

www.mediya.com.tr

info@mediya.com.tr

[TEL:+90 501 326 08 01](tel:+905013260801) / +90 362 266 74 59